09/805 887	LAROIA ET AL.
Examiner	Art Unit
Steven Nauven	2616
ars on the cover sheet with the county (OR REMAINS) CLOSED in this apportant of the appropriate communication of the application is subject and MPEP 1308. 1-69. der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No	correspondence address oplication. If not included n will be mailed in due course. THIS to withdrawal from issue at the initiative
tted. Note the attached EXAMINER	R'S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amend 8. ☑ Examiner's Statem 9. ☐ Other	(PTO-413),
	ars on the cover sheet with the cover sheet and MPEP 1308. 1-69. der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application Nocoments have been received in this communication to file a reply ENT of this application. tted. Note the attached EXAMINER is reason(s) why the oath or declars to be submitted. on's Patent Drawing Review (PTO is Amendment / Comment or in the cover sheet according to 37 CFR 1.121 and sheet accordi

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-44 and 50-74 allowed.

The following is an examiner's statement of reasons for allowance: the prior arts in the record fail to disclose or make obvious to a system and method comprising a cyclic prefixed circuit located after the interpolation circuit which receives the discrete signal and generates a continuous signal by applying an interpolation function to the discrete signal, the interpolation function operating on the discrete signal such that a frequency response of the continuous signal includes sinusoids having non-zero values at a first set of tones, the first set of tones being a subset of said multiple tones, the non-zero value at each of said first set of tones being a function of a plurality of mapped symbols corresponding to different discrete points in time, the frequency response of the continuous signal also including zero values at a second set of tones, the second set of tones being different from said first set of tones and being another subset of said multiple tones within a structure of the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven Nguyen whose telephone number is (571) 272-3159. The examiner can normally be reached on 8:00-4:30.

Art Unit: 2616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Welling Chin can be reached on (571) 272-3134. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Steven Nguyen Primary Examiner Art Unit 2616